

SOLVENT INKS

Screen printing Inks for different substrate or materials.

VINYL INKS

Screen printing solvent inks for stickers, paper, acrylic, ballpens and other types of plastic materials.



a.) **Vinyl Gloss** – glossy effect print.



b.) **Vinyl Satin** – flat or matte print.




c.) **Vinyl Transparent** – CMYK (Cyan, Magenta, Yellow, Black) or four color process print.



d.) **Vinyl Fluorescent** – luminous or neon color ink.



e.) Vinyl Outdoor – for an extended life on the color of your print.
Normally used for outdoor purposes.



f) Vinyl Glow In the Dark – for that glow in the dark effect print.

QC Main Office: Unit 1 # 1022 E. Rodriguez Sr. Avenue, Bgy Mariana QC. Tels 02-7278430; 7229798; 4118083; 4133355
Mobile Nos. : 09228992915; 09173120053; 09175300503

MANILA Branch: Unit 1136 CM Recto Avenue Bgy 294, Binondo, Manila. Tels 02-2560554; 8713807; 09258992918

Email: printwork88@gmail.com; printwork_88@yahoo.com.ph

Visit Our Website: www.printwork.com.ph



g) Vinyl Overlacquer- may be used as underbase for texturized material to minimized ink absorption on substrate or may be used as top coat.



h) Vinyl Varnish – clear base Vinyl. May be added on the vinyl inks to reduce shade or may also be used as Top Coat.

VINYL INKS AUXILLIARIES AND CHEMICALS



a) Reducers- quick dry type of diluting agent for vinyl inks. It is also use for cleaning of screen after production.



b) Retarder- slow dry type of diluting agent for vinyl inks. It is also use for cleaning of screen after production.

QC Main Office: Unit 1 # 1022 E. Rodriguez Sr. Avenue, Bgy Mariana QC. Tels 02-7278430; 7229798; 4118083; 4133355
Mobile Nos. : 09228992915; 09173120053; 09175300503

MANILA Branch: Unit 1136 CM Recto Avenue Bgy 294, Binondo, Manila. Tels 02-2560554; 8713807; 09258992918

Email: printwork88@gmail.com; printwork_88@yahoo.com.ph

Visit Our Website: www.printwork.com.ph



c) Isophorone –slowest drying type of diluting agent for vinyl inks.

NYLON INKS

Screen printing solvent inks for all types of water repellent fabrics such as umbrellas, windbreakers, jackets, rain coats and even leather materials



a) Nylon Inks- screen printing solvent inks available in basic colors

QC Main Office: Unit 1 # 1022 E. Rodriguez Sr. Avenue, Bgy Mariana QC. Tels 02-7278430; 7229798; 4118083; 4133355
Mobile Nos. : 09228992915; 09173120053; 09175300503

MANILA Branch: Unit 1136 CM Recto Avenue Bgy 294, Binondo, Manila. Tels 02-2560554; 8713807; 09258992918

Email: printwork88@gmail.com; printwork_88@yahoo.com.ph

Visit Our Website: www.printwork.com.ph



b)Nylon Catalyst- is added to the nylon ink to improve adhesion of ink to substrate. The Nylon inks has to be consumed within 24 hours once nylon catalyst is mixed.



c)Nylon Ink Reducer-diluting agent for Nylon ink. It is also used for cleaning of screen after production.

SINGLE PACK INKS

For high impact plastics and other hard plastic materials and more



SINGLE PACK INK

a) Single Pack Inks- screen printing solvent inks available in basic colors



TWO PACK/SINGLE PACK REDUCER

b) Single Pack Ink Reducer-diluting agent for Single Pack ink. It is also used for cleaning of screen after production.


TWO PACK INKS

For certain types of plastic materials like PET bottles, shampoo containers, aluminium or stainless metals & more



TWO PACK INK

a) Two Pack Inks- screen printing solvent inks available in basic colors



TWO PACK CATALYST

b) Two Pack Catalyst- is added to the two pack ink for improve adhesion of ink to substrate. The inks has to be consumed within 24 hours once Two Pack Catalyst has been mixed to the ink.

QC Main Office: Unit 1 # 1022 E. Rodriguez Sr. Avenue, Bgy Mariana QC. Tels 02-7278430; 7229798; 4118083; 4133355
Mobile Nos. : 09228992915; 09173120053; 09175300503

MANILA Branch: Unit 1136 CM Recto Avenue Bgy 294, Binondo, Manila. Tels 02-2560554; 8713807; 09258992918

Email: printwork88@gmail.com; printwork_88@yahoo.com.ph

Visit Our Website: www.printwork.com.ph



c)Two Pack Ink Reducer-diluting agent for two pack ink. It is also used for cleaning of screen after production.

PPE INKS (POLYPROPELENE POLYETHYLENE INKS)

Plastic materials made of Polypropelene (PP) or Polyethylene (PE) , or other plastic materials like bottles, sacks, aluminium car shades and more



a)PPE Inks- screen printing solvent inks available in basic colors



b)PPE Ink Reducer-diluting agent for PPE ink. It is also used for cleaning of screen after production

CHAROL INKS

Polyvinyl Chloride type of plastic materials like charol for Banderitas, or other thin sheeted Plastic materials gauge 4.5 type of PVC plastic and other flexible plastics



a)Charol Inks- screen printing solvent inks available in basic colors.



b)Charol Ink Retarder-diluting agent for Charol ink. It is also used for cleaning of screen after production

SCRATCH OFF INKS

Also known as Rub out ink. Used on Scratch Card, cellphone prepaid card, sweepstakes or promo cards.



a)Scratch off ink- screen printing solvent inks available in Gold and Silver color

**QC Main Office: Unit 1 # 1022 E. Rodriguez Sr. Avenue, Bgy Mariana QC. Tels 02-7278430; 7229798; 4118083; 4133355
Mobile Nos. : 09228992915; 09173120053; 09175300503**

MANILA Branch: Unit 1136 CM Recto Avenue Bgy 294, Binondo, Manila. Tels 02-2560554; 8713807; 09258992918

Email: printwork88@gmail.com; printwork_88@yahoo.com.ph

Visit Our Website: www.printwork.com.ph



b) Scratch off Thinner- diluting agent for scratch off ink. It is also used for cleaning of screen after production.

OTHER AUXILLIARIES AND CHEMICALS



a) Blockout Fillers or Red Filler- this chemical is for omitting unwanted design of the screen by just applying the area one wishes to omit. Red filler is red in color.

QC Main Office: Unit 1 # 1022 E. Rodriguez Sr. Avenue, Bgy Mariana QC. Tels 02-7278430; 7229798; 4118083; 4133355
Mobile Nos. : 09228992915; 09173120053; 09175300503

MANILA Branch: Unit 1136 CM Recto Avenue Bgy 294, Binondo, Manila. Tels 02-2560554; 8713807; 09258992918

Email: printwork88@gmail.com; printwork_88@yahoo.com.ph

Visit Our Website: www.printwork.com.ph



d) Treating Agent- Because of the variety of plastic materials in the market, sometimes not all plastic materials are treated. So this chemical can be applied on the substrate to treat the untreated plastic materials before printing. It must be applied thinly on the area of print to any untreated plastic material to improve the adhesion of paint on the substrates.



c) Emulsion Remover or Stencil Remover 10gms can be used if one wishes to reclaim the screen. Recommended mixture is 1 liter of water for every pack for new stencils. However, if the stencils to be reclaimed are old used stencil then we advise to reduce the water to 500ml or even less.


Direction: Dissolve powder or chemical into the water. Then using sponge or old toothbrush, apply circular motion on both side of the screen with stencil. Let stand for about Five (5) minutes then apply strong water pressure on the screen. NOTE: **DO NOT** allow the chemical to dry up on the screen once it is applied, otherwise this will make the stencil even harder to reclaim.

QC Main Office: Unit 1 # 1022 E. Rodriguez Sr. Avenue, Bgy Mariana QC. Tels 02-7278430; 7229798; 4118083; 4133355
Mobile Nos. : 09228992915; 09173120053; 09175300503

MANILA Branch: Unit 1136 CM Recto Avenue Bgy 294, Binondo, Manila. Tels 02-2560554; 8713807; 09258992918

Email: printwork88@gmail.com; printwork_88@yahoo.com.ph

Visit Our Website: www.printwork.com.ph



d)Ghost and Haze Remover – this chemical removes shadow or previous design left behind from reclaimed stencil. Simply apply the paste type chemical on the area that needs to be cleaned. Within 5 to 10 seconds immediately spray with water. We recommend one uses high pressured sprayer for effective or thorough removal of unwanted shadow.

DISCLAIMER:

All the information and recommendations are believed to be factual and accurate at the time of publication. Nothing here is to be construed as warranty, express or implied. Guarantees of the product are limited to uniformity and its adherence to our published specification. In all cases it is the responsibility of the user to determine the applicability of such information and the suitability of any of the products for their own particular purpose.

**Thank You! Visit us at our Facebook Page:
www.facebook.com/printwork88**